

Millards Pool 2017

Common Name	Scientific Name	Count	Reporting Rate
Honeyeater, Spiny-cheeked	<i>Acanthagenys rufogularis</i>	1	1.52%
Thornbill, Inland	<i>Acanthiza apicalis</i>	2	3.03%
Thornbill, Yellow-rumped	<i>Acanthiza chrysorrhoa</i>	32	48.48%
Thornbill, Western	<i>Acanthiza inornata</i>	2	3.03%
Thornbill, Chestnut-rumped	<i>Acanthiza uropygialis</i>	2	3.03%
Goshawk, Brown	<i>Accipiter fasciatus</i>	5	7.58%
Sandpiper, Common	<i>Actitis hypoleucos</i>	3	4.55%
Teal, Chestnut	<i>Anas castanea</i>	1	1.52%
Teal, Grey	<i>Anas gracilis</i>	57	86.36%
Mallard, Northern	<i>Anas platyrhynchos</i>	3	4.55%
Black Duck, Pacific	<i>Anas superciliosa</i>	59	89.39%
Darter, Australasian	<i>Anhinga novaehollandiae</i>	1	1.52%
Wattlebird, Red	<i>Anthochaera carunculata</i>	22	33.33%
Pipit, Australasian	<i>Anthus novaeseelandiae</i>	12	18.18%
Eagle, Wedge-tailed	<i>Aquila audax</i>	8	12.12%
Egret, Great	<i>Ardea alba</i>	19	28.79%
Heron, White-necked	<i>Ardea pacifica</i>	2	3.03%
Woodswallow, Black-faced	<i>Artamus cinereus</i>	1	1.52%
Woodswallow, Dusky	<i>Artamus cyanopterus</i>	1	1.52%
Hardhead	<i>Aythya australis</i>	27	40.91%
Ringneck, Australian	<i>Barnardius zonarius</i>	60	90.91%
Duck, Musk	<i>Biziura lobata</i>	5	7.58%
Corella, Western	<i>Cacatua pastinator</i>	35	53.03%
Corella, Little	<i>Cacatua sanguinea</i>	4	6.06%
Corella, Long-billed	<i>Cacatua tenuirostris</i>	1	1.52%
Black-Cockatoo, Carnaby's	<i>Calyptorhynchus latirostris</i>	6	9.09%
Bronze-Cuckoo, Horsfield's	<i>Chalcites basalis</i>	4	6.06%
Bronze-Cuckoo, Shining	<i>Chalcites lucidus</i>	2	3.03%
Wood Duck, Australian	<i>Chenonetta jubata</i>	43	65.15%
Songlark, Rufous	<i>Cincloramphus mathewsi</i>	7	10.61%
Shrike-thrush, Grey	<i>Colluricincla harmonica</i>	19	28.79%
Dove, Rock	<i>Columba livia</i>	1	1.52%
Cuckoo-shrike, Black-faced	<i>Coracina novaehollandiae</i>	13	19.70%
Raven, Australian	<i>Corvus coronoides</i>	61	92.42%
Quail, Stubble	<i>Coturnix pectoralis</i>	4	6.06%
Butcherbird, Pied	<i>Cracticus nigrogularis</i>	7	10.61%
Butcherbird, Grey	<i>Cracticus torquatus</i>	4	6.06%
Swan, Black	<i>Cygnus atratus</i>	12	18.18%
Swan, Mute	<i>Cygnus olor</i>	1	1.52%
Kookaburra, Laughing	<i>Dacelo novaeguiriidae</i>	22	33.33%
Mistletoebird	<i>Dicaeum hirundinaceum</i>	11	16.67%
Egret, Little	<i>Egretta garzetta</i>	2	3.03%
Heron, White-faced	<i>Egretta novaehollandiae</i>	51	77.27%
Kite, Black-shouldered	<i>Elanus axillaris</i>	9	13.64%
Dotterel, Black-fronted	<i>Euseiornis melanops</i>	15	22.73%
Galah	<i>Eolophus roseicapilla</i>	43	65.15%
Dotterel, Red-kneed	<i>Erythronyx cinctus</i>	1	1.52%
Falcon, Brown	<i>Falco berigora</i>	2	3.03%
Kestrel, Nankeen	<i>Falco cenchroides</i>	25	37.88%
Hobby, Australian	<i>Falco longipennis</i>	1	1.52%
Coot, Eurasian	<i>Fulica atra</i>	58	87.88%
Moorhen, Dusky	<i>Gallinula tenebrosa</i>	16	24.24%
Honeyeater, Singing	<i>Gavicalis virescens</i>	46	69.70%
Gerygone, Western	<i>Gerygone fusca</i>	23	34.85%
Magpie-lark	<i>Grallina cyanoleuca</i>	27	40.91%
Magpie, Australian	<i>Gymnorhina tibicen</i>	42	63.64%
Kite, Whistling	<i>Haliastur sphenurus</i>	2	3.03%
Cuckoo, Pallid	<i>Heteroscenes pallidus</i>	12	18.18%

Stilt, Black-winged	<i>Himantopus leucocephalus</i>	14	21.21%
Swallow, Welcome	<i>Hirundo neoxena</i>	35	53.03%
Triller, White-winged	<i>Lalage tricolor</i>	4	6.06%
Honeyeater, Brown	<i>Lichmera indistincta</i>	43	65.15%
Duck, Pink-eared	<i>Malacorhynchus membranaceus</i>	1	1.52%
Fairy-wren, Splendid	<i>Malurus splendens</i>	15	22.73%
Honeyeater, Brown-headed	<i>Melithreptus brevirostris</i>	4	6.06%
Bee-eater, Rainbow	<i>Merops ornatus</i>	14	21.21%
Cormorant, Little Pied	<i>Microcarbo melanoleucos</i>	42	63.64%
Parrot, Elegant	<i>Neophema elegans</i>	1	1.52%
Night-Heron, Nankeen	<i>Nycticorax caledonicus</i>	10	15.15%
Pigeon, Crested	<i>Ocyphaps lophotes</i>	30	45.45%
Duck, Blue-billed	<i>Oxyura australis</i>	1	1.52%
Whistler, Rufous	<i>Pachycephala rufiventris</i>	26	39.39%
Pardalote, Striated	<i>Pardalotus striatus</i>	37	56.06%
Pelican, Australian	<i>Pelecanus conspicillatus</i>	32	48.48%
Martin, Tree	<i>Petrochelidon nigricans</i>	39	59.09%
Robin, Red-capped	<i>Petroica goodenovii</i>	13	19.70%
Robin, Scarlet	<i>Petroica multicolor</i>	2	3.03%
Cormorant, Little Black	<i>Phalacrocorax sulcirostris</i>	43	65.15%
Cormorant, Pied	<i>Phalacrocorax varius</i>	1	1.52%
Bronzewing, Common	<i>Phaps chalcoptera</i>	9	13.64%
Honeyeater, New Holland	<i>Phylidonyris novaehollandiae</i>	2	3.03%
Spoonbill, Yellow-billed	<i>Platalea flavipes</i>	37	56.06%
Rosella, Western	<i>Platycercus icterotis</i>	1	1.52%
Grebe, Hoary-headed	<i>Poliiocephalus poliocephalus</i>	49	74.24%
Babbler, White-browed	<i>Pomatostomus superciliosus</i>	1	1.52%
Swamphen, Purple	<i>Porphyria porphyria</i>	1	1.52%
Parrot, Red-capped	<i>Purpureicephalus spurius</i>	5	7.58%
Fantail, Grey	<i>Rhipidura fuliginosa</i>	28	42.42%
Willie Wagtail	<i>Rhipidura leucophrys</i>	50	75.76%
Weebill	<i>Smicromis brevirostris</i>	15	22.73%
Shoveler, Australasian	<i>Spatula rhynchotis</i>	3	4.55%
Dove, Laughing	<i>Streptopelia senegalensis</i>	20	30.30%
Grebe, Australasian	<i>Tachybaptus novaehollandiae</i>	23	34.85%
Shelduck, Australian	<i>Tadorna tadornoides</i>	50	75.76%
Ibis, Australian White	<i>Threskiornis moluccus</i>	29	43.94%
Ibis, Straw-necked	<i>Threskiornis spinicollis</i>	1	1.52%
Kingfisher, Sacred	<i>Todiramphus sanctus</i>	15	22.73%
Native-hen, Black-tailed	<i>Tribonyx ventralis</i>	5	7.58%
Owl, Barn	<i>Tyto alba</i>	2	3.03%
Silvereye	<i>Zosterops lateralis</i>	27	40.91%
Corella spp		4	6.06%
Goose, Domestic		2	3.03%
Hybrid, Black Duck-Mallard		2	3.03%

103 SPECIES RECORDED IN TOTAL

Millards Pool 2017

Common Name	Scientific Name	Count	Reporting Rate
Australasian Darter	Anhinga novaehollandiae	1	1.52%
Australasian Grebe	Tachybaptus novaehollandiae	23	34.85%
Australasian Pipit	Anthus novaeseelandiae	12	18.18%
Australasian Shoveler	Spatula rhynchotis	3	4.55%
Australian Hobby	Falco longipennis	1	1.52%
Australian Magpie	Gymnorhina tibicen	42	63.64%
Australian Pelican	Pelecanus conspicillatus	32	48.48%
Australian Raven	Corvus coronoides	61	92.42%
Australian Ringneck	Barnardius zonarius	60	90.91%
Australian Shelduck	Tadorna tadornoides	50	75.76%
Australian White Ibis	Threskiornis moluccus	29	43.94%
Australian Wood Duck	Chenonetta jubata	43	65.15%
Barn Owl	Tyto alba	2	3.03%
Black Duck-Mallard hybrid		2	3.03%
Black Swan	Cygnus atratus	12	18.18%
Black-faced Cuckoo-shrike	Coracina novaehollandiae	13	19.70%
Black-faced Woodswallow	Artamus cinereus	1	1.52%
Black-fronted Dotterel	Elseornis melanops	15	22.73%
Black-shouldered Kite	Elanus axillaris	9	13.64%
Black-tailed Native-hen	Tribonyx ventralis	5	7.58%
Black-winged Stilt	Himantopus leucocephalus	14	21.21%
Blue-billed Duck	Oxyura australis	1	1.52%
Brown Falcon	Falco berigora	2	3.03%
Brown Goshawk	Accipiter fasciatus	5	7.58%
Brown Honeyeater	Lichmera indistincta	43	65.15%
Brown-headed Honeyeater	Melithreptus brevirostris	4	6.06%
Carnaby's Black-Cockatoo	Calyptorhynchus latirostris	6	9.09%
Chestnut Teal	Anas castanea	1	1.52%
Chestnut-rumped Thornbill	Acanthiza uropygialis	2	3.03%
Common Bronzewing	Phaps chalcoptera	9	13.64%
Common Sandpiper	Actitis hypoleucos	3	4.55%
Corella spp		4	6.06%
Crested Pigeon	Ocyphaps lophotes	30	45.45%
Domestic Goose		2	3.03%
Dusky Moorhen	Gallinula tenebrosa	16	24.24%
Dusky Woodswallow	Artamus cyanopterus	1	1.52%
Elegant Parrot	Neophema elegans	1	1.52%
Eurasian Coot	Fulica atra	58	87.88%
Galah	Eolophus roseicapilla	43	65.15%
Great Egret	Ardea alba	19	28.79%
Grey Butcherbird	Cracticus torquatus	4	6.06%
Grey Fantail	Rhipidura fuliginosa	28	42.42%
Grey Shrike-thrush	Colluricincla harmonica	19	28.79%
Grey Teal	Anas gracilis	57	86.36%
Hardhead	Aythya australis	27	40.91%
Hoary-headed Grebe	Poliiocephalus poliocephalus	49	74.24%
Horsfield's Bronze-Cuckoo	Chalcites basalis	4	6.06%
Inland Thornbill	Acanthiza apicalis	2	3.03%
Laughing Dove	Streptopelia senegalensis	20	30.30%
Laughing Kookaburra	Dacelo novaeguineae	22	33.33%
Little Black Cormorant	Phalacrocorax sulcirostris	43	65.15%
Little Corella	Cacatua sanguinea	4	6.06%
Little Egret	Egretta garzetta	2	3.03%
Little Pied Cormorant	Microcarbo melanoleucos	42	63.64%
Long-billed Corella	Cacatua tenuirostris	1	1.52%
Magpie-lark	Grallina cyanoleuca	27	40.91%
Mistletoebird	Dicaeum hirundinaceum	11	16.67%
Musk Duck	Biziura lobata	5	7.58%

Mute Swan	<i>Cygnus olor</i>	1	1.52%
Nankeen Kestrel	<i>Falco cenchroides</i>	25	37.88%
Nankeen Night-Heron	<i>Nycticorax caledonicus</i>	10	15.15%
New Holland Honeyeater	<i>Phylidonyris novaehollandiae</i>	2	3.03%
Northern Mallard	<i>Anas platyrhynchos</i>	3	4.55%
Pacific Black Duck	<i>Anas superciliosa</i>	59	89.39%
Pallid Cuckoo	<i>Heteroscenes pallidus</i>	12	18.18%
Pied Butcherbird	<i>Cracticus nigrogularis</i>	7	10.61%
Pied Cormorant	<i>Phalacrocorax varius</i>	1	1.52%
Pink-eared Duck	<i>Malacorhynchus membranaceus</i>	1	1.52%
Purple Swamphen	<i>Porphyria porphyria</i>	1	1.52%
Rainbow Bee-eater	<i>Merops ornatus</i>	14	21.21%
Red Wattlebird	<i>Anthochaera carunculata</i>	22	33.33%
Red-capped Parrot	<i>Purpureicephalus spurius</i>	5	7.58%
Red-capped Robin	<i>Petroica goodenovii</i>	13	19.70%
Red-kneed Dotterel	<i>Erythrogonys cinctus</i>	1	1.52%
Rock Dove	<i>Columba livia</i>	1	1.52%
Rufous Songlark	<i>Cincloramphus mathewsi</i>	7	10.61%
Rufous Whistler	<i>Pachycephala rufiventris</i>	26	39.39%
Sacred Kingfisher	<i>Todiramphus sanctus</i>	15	22.73%
Scarlet Robin	<i>Petroica multicolor</i>	2	3.03%
Shining Bronze-Cuckoo	<i>Chalcites lucidus</i>	2	3.03%
Silvereye	<i>Zosterops lateralis</i>	27	40.91%
Singing Honeyeater	<i>Gavicalis virescens</i>	46	69.70%
Spiny-cheeked Honeyeater	<i>Acanthagenys rufogularis</i>	1	1.52%
Splendid Fairy-wren	<i>Malurus splendens</i>	15	22.73%
Straw-necked Ibis	<i>Threskiornis spinicollis</i>	1	1.52%
Striated Pardalote	<i>Pardalotus striatus</i>	37	56.06%
Stubble Quail	<i>Coturnix pectoralis</i>	4	6.06%
Tree Martin	<i>Petrochelidon nigricans</i>	39	59.09%
Wedge-tailed Eagle	<i>Aquila audax</i>	8	12.12%
Weebill	<i>Smicromis brevirostris</i>	15	22.73%
Welcome Swallow	<i>Hirundo neoxena</i>	35	53.03%
Western Corella	<i>Cacatua pastinator</i>	35	53.03%
Western Gerygone	<i>Gerygone fusca</i>	23	34.85%
Western Rosella	<i>Platycercus icterotis</i>	1	1.52%
Western Thornbill	<i>Acanthiza inornata</i>	2	3.03%
Whistling Kite	<i>Haliastur sphenurus</i>	2	3.03%
White-browed Babbler	<i>Pomatostomus superciliosus</i>	1	1.52%
White-faced Heron	<i>Egretta novaehollandiae</i>	51	77.27%
White-necked Heron	<i>Ardea pacifica</i>	2	3.03%
White-winged Triller	<i>Lalage tricolor</i>	4	6.06%
Willie Wagtail	<i>Rhipidura leucophrys</i>	50	75.76%
Yellow-billed Spoonbill	<i>Platalea flavipes</i>	37	56.06%
Yellow-rumped Thornbill	<i>Acanthiza chrysorrhoa</i>	32	48.48%

103 SPECIES RECORDED IN TOTAL

Millards Pool 2017

Common Name	Scientific Name	Count	Reporting Rate
Babbler, White-browed	<i>Pomatostomus superciliosus</i>	1	1.52%
Bee-eater, Rainbow	<i>Merops ornatus</i>	14	21.21%
Black-Cockatoo, Carnaby's	<i>Calyptorhynchus latirostris</i>	6	9.09%
Bronze-Cuckoo, Horsfield's	<i>Chalcites basalis</i>	4	6.06%
Bronze-Cuckoo, Shining	<i>Chalcites lucidus</i>	2	3.03%
Bronzewing, Common	<i>Phaps chalcoptera</i>	9	13.64%
Butcherbird, Grey	<i>Cracticus torquatus</i>	4	6.06%
Butcherbird, Pied	<i>Cracticus nigrogularis</i>	7	10.61%
Coot, Eurasian	<i>Fulica atra</i>	58	87.88%
Corella spp		4	6.06%
Corella, Little	<i>Cacatua sanguinea</i>	4	6.06%
Corella, Long-billed	<i>Cacatua tenuirostris</i>	1	1.52%
Corella, Western	<i>Cacatua pastinator</i>	35	53.03%
Cormorant, Little Black	<i>Phalacrocorax sulcirostris</i>	43	65.15%
Cormorant, Little Pied	<i>Microcarbo melanoleucos</i>	42	63.64%
Cormorant, Pied	<i>Phalacrocorax varius</i>	1	1.52%
Cuckoo, Pallid	<i>Heteroscenes pallidus</i>	12	18.18%
Cuckoo-shrike, Black-faced	<i>Coracina novaehollandiae</i>	13	19.70%
Darter, Australasian	<i>Anhinga novaehollandiae</i>	1	1.52%
Dotterel, Black-fronted	<i>Eseyornis melanops</i>	15	22.73%
Dotterel, Red-kneed	<i>Erythronyctes albus</i>	1	1.52%
Dove, Laughing	<i>Streptopelia senegalensis</i>	20	30.30%
Dove, Rock	<i>Columba livia</i>	1	1.52%
Duck, Blue-billed	<i>Oxyura australis</i>	1	1.52%
Duck, Musk	<i>Biziura lobata</i>	5	7.58%
Duck, Pacific Black	<i>Anas superciliosa</i>	59	89.39%
Duck, Pink-eared	<i>Malacorhynchus membranaceus</i>	1	1.52%
Eagle, Wedge-tailed	<i>Aquila audax</i>	8	12.12%
Egret, Great	<i>Ardea alba</i>	19	28.79%
Egret, Little	<i>Egretta garzetta</i>	2	3.03%
Fairy-wren, Splendid	<i>Malurus splendens</i>	15	22.73%
Falcon, Brown	<i>Falco berigora</i>	2	3.03%
Fantail, Grey	<i>Rhipidura fuliginosa</i>	28	42.42%
Galah	<i>Eolophus roseicapilla</i>	43	65.15%
Gerygone, Western	<i>Gerygone fusca</i>	23	34.85%
Goose, Domestic		2	3.03%
Goshawk, Brown	<i>Accipiter fasciatus</i>	5	7.58%
Grebe, Australasian	<i>Tachybaptus novaehollandiae</i>	23	34.85%
Grebe, Hoary-headed	<i>Poliiocephalus poliocephalus</i>	49	74.24%
Hardhead	<i>Aythya australis</i>	27	40.91%
Heron, White-faced	<i>Egretta novaehollandiae</i>	51	77.27%
Heron, White-necked	<i>Ardea pacifica</i>	2	3.03%
Hobby, Australian	<i>Falco longipennis</i>	1	1.52%
Honeyeater, Brown	<i>Lichmera indistincta</i>	43	65.15%
Honeyeater, Brown-headed	<i>Meliphaga brevirostris</i>	4	6.06%
Honeyeater, New Holland	<i>Phylidonyris novaehollandiae</i>	2	3.03%
Honeyeater, Singing	<i>Gavicalis virescens</i>	46	69.70%
Honeyeater, Spiny-cheeked	<i>Acanthagenys rufogularis</i>	1	1.52%
Hybrid, Black Duck-Mallard		2	3.03%
Ibis, Australian White	<i>Threskiornis moluccus</i>	29	43.94%
Ibis, Straw-necked	<i>Threskiornis spinicollis</i>	1	1.52%
Kestrel, Nankeen	<i>Falco cenchroides</i>	25	37.88%
Kingfisher, Sacred	<i>Todiramphus sanctus</i>	15	22.73%
Kite, Black-shouldered	<i>Elanus axillaris</i>	9	13.64%
Kite, Whistling	<i>Haliastur sphenurus</i>	2	3.03%
Kookaburra, Laughing	<i>Dacelo novaeguineae</i>	22	33.33%
Magpie, Australian	<i>Gymnorhina tibicen</i>	42	63.64%
Magpie-lark	<i>Grallina cyanoleuca</i>	27	40.91%

Mallard, Northern	<i>Anas platyrhynchos</i>	3	4.55%
Martin, Tree	<i>Petrochelidon nigricans</i>	39	59.09%
Mistletoebird	<i>Dicaeum hirundinaceum</i>	11	16.67%
Moorhen, Dusky	<i>Gallinula tenebrosa</i>	16	24.24%
Native-hen, Black-tailed	<i>Tribonyx ventralis</i>	5	7.58%
Night-Heron, Nankeen	<i>Nycticorax caledonicus</i>	10	15.15%
Owl, Barn	<i>Tyto alba</i>	2	3.03%
Pardalote, Striated	<i>Pardalotus striatus</i>	37	56.06%
Parrot, Elegant	<i>Neophema elegans</i>	1	1.52%
Parrot, Red-capped	<i>Purpureicephalus spurius</i>	5	7.58%
Pelican, Australian	<i>Pelecanus conspicillatus</i>	32	48.48%
Pigeon, Crested	<i>Ocyphaps lophotes</i>	30	45.45%
Pipit, Australasian	<i>Anthus novaeseelandiae</i>	12	18.18%
Quail, Stubble	<i>Coturnix pectoralis</i>	4	6.06%
Raven, Australian	<i>Corvus coronoides</i>	61	92.42%
Ringneck, Australian	<i>Barnardius zonarius</i>	60	90.91%
Robin, Red-capped	<i>Petroica goodenovii</i>	13	19.70%
Robin, Scarlet	<i>Petroica multicolor</i>	2	3.03%
Rosella, Western	<i>Platycercus icterotis</i>	1	1.52%
Sandpiper, Common	<i>Actitis hypoleucos</i>	3	4.55%
Shelduck, Australian	<i>Tadorna tadornoides</i>	50	75.76%
Shoveler, Australasian	<i>Spatula rhynchotis</i>	3	4.55%
Shrike-thrush, Grey	<i>Colluricincla harmonica</i>	19	28.79%
Silvereye	<i>Zosterops lateralis</i>	27	40.91%
Songlark, Rufous	<i>Cincloramphus mathewsi</i>	7	10.61%
Spoonbill, Yellow-billed	<i>Platalea flavipes</i>	37	56.06%
Stilt, Black-winged	<i>Himantopus leucocephalus</i>	14	21.21%
Swallow, Welcome	<i>Hirundo neoxena</i>	35	53.03%
Swamphen, Purple	<i>Porphyria porphyria</i>	1	1.52%
Swan, Black	<i>Cygnus atratus</i>	12	18.18%
Swan, Mute	<i>Cygnus olor</i>	1	1.52%
Teal, Chestnut	<i>Anas castanea</i>	1	1.52%
Teal, Grey	<i>Anas gracilis</i>	57	86.36%
Thornbill, Chestnut-rumped	<i>Acanthiza uropygialis</i>	2	3.03%
Thornbill, Inland	<i>Acanthiza apicalis</i>	2	3.03%
Thornbill, Western	<i>Acanthiza inornata</i>	2	3.03%
Thornbill, Yellow-rumped	<i>Acanthiza chrysorrhoa</i>	32	48.48%
Triller, White-winged	<i>Lalage tricolor</i>	4	6.06%
Wattlebird, Red	<i>Anthochaera carunculata</i>	22	33.33%
Weebill	<i>Smicromis brevirostris</i>	15	22.73%
Whistler, Rufous	<i>Pachycephala rufiventris</i>	26	39.39%
Willie Wagtail	<i>Rhipidura leucophrys</i>	50	75.76%
Wood Duck, Australian	<i>Chenonetta jubata</i>	43	65.15%
Woodswallow, Black-faced	<i>Artamus cinereus</i>	1	1.52%
Woodswallow, Dusky	<i>Artamus cyanopterus</i>	1	1.52%

103 SPECIES RECORDED IN TOTAL

Millards Pool 2017

Common Name	Scientific Name	Count	Reporting Rate
Australian Raven	<i>Corvus coronoides</i>	61	92.42%
Australian Ringneck	<i>Barnardius zonarius</i>	60	90.91%
Pacific Black Duck	<i>Anas superciliosa</i>	59	89.39%
Eurasian Coot	<i>Fulica atra</i>	58	87.88%
Grey Teal	<i>Anas gracilis</i>	57	86.36%
White-faced Heron	<i>Egretta novaehollandiae</i>	51	77.27%
Australian Shelduck	<i>Tadorna tadornoides</i>	50	75.76%
Willie Wagtail	<i>Rhipidura leucophrys</i>	50	75.76%
Hoary-headed Grebe	<i>Polioccephalus polioccephalus</i>	49	74.24%
Singing Honeyeater	<i>Gavicalis virescens</i>	46	69.70%
Australian Wood Duck	<i>Chenonetta jubata</i>	43	65.15%
Little Black Cormorant	<i>Phalacrocorax sulcirostris</i>	43	65.15%
Galah	<i>Eolophus roseicapilla</i>	43	65.15%
Brown Honeyeater	<i>Lichmera indistincta</i>	43	65.15%
Little Pied Cormorant	<i>Microcarbo melanoleucos</i>	42	63.64%
Australian Magpie	<i>Gymnorhina tibicen</i>	42	63.64%
Tree Martin	<i>Petrochelidon nigricans</i>	39	59.09%
Yellow-billed Spoonbill	<i>Platalea flavipes</i>	37	56.06%
Striated Pardalote	<i>Pardalotus striatus</i>	37	56.06%
Western Corella	<i>Cacatua pastinator</i>	35	53.03%
Welcome Swallow	<i>Hirundo neoxena</i>	35	53.03%
Australian Pelican	<i>Pelecanus conspicillatus</i>	32	48.48%
Yellow-rumped Thornbill	<i>Acanthiza chrysorrhoa</i>	32	48.48%
Crested Pigeon	<i>Ocyphaps lophotes</i>	30	45.45%
Australian White Ibis	<i>Threskiornis moluccus</i>	29	43.94%
Grey Fantail	<i>Rhipidura fuliginosa</i>	28	42.42%
Hardhead	<i>Aythya australis</i>	27	40.91%
Magpie-lark	<i>Grallina cyanoleuca</i>	27	40.91%
Silvereye	<i>Zosterops lateralis</i>	27	40.91%
Rufous Whistler	<i>Pachycephala rufiventris</i>	26	39.39%
Nankeen Kestrel	<i>Falco cenchroides</i>	25	37.88%
Australasian Grebe	<i>Tachybaptus novaehollandiae</i>	23	34.85%
Western Gerygone	<i>Gerygone fusca</i>	23	34.85%
Laughing Kookaburra	<i>Dacelo novaeguiriidae</i>	22	33.33%
Red Wattlebird	<i>Anthochaera carunculata</i>	22	33.33%
Laughing Dove	<i>Streptopelia senegalensis</i>	20	30.30%
Great Egret	<i>Ardea alba</i>	19	28.79%
Grey Shrike-thrush	<i>Colluricincla harmonica</i>	19	28.79%
Dusky Moorhen	<i>Gallinula tenebrosa</i>	16	24.24%
Black-fronted Dotterel	<i>Elsayornis melanops</i>	15	22.73%
Sacred Kingfisher	<i>Todiramphus sanctus</i>	15	22.73%
Splendid Fairy-wren	<i>Malurus splendens</i>	15	22.73%
Weebill	<i>Smicronis brevirostris</i>	15	22.73%
Black-winged Stilt	<i>Himantopus leucocephalus</i>	14	21.21%
Rainbow Bee-eater	<i>Merops ornatus</i>	14	21.21%
Black-faced Cuckoo-shrike	<i>Coracina novaehollandiae</i>	13	19.70%
Red-capped Robin	<i>Petroica goodenovii</i>	13	19.70%
Black Swan	<i>Cygnus atratus</i>	12	18.18%
Pallid Cuckoo	<i>Heteroscenes pallidus</i>	12	18.18%
Australasian Pipit	<i>Anthus novaeseelandiae</i>	12	18.18%
Mistletoebird	<i>Dicaeum hirundinaceum</i>	11	16.67%
Nankeen Night-Heron	<i>Nycticorax caledonicus</i>	10	15.15%
Common Bronzewing	<i>Phaps chalcoptera</i>	9	13.64%
Black-shouldered Kite	<i>Elanus axillaris</i>	9	13.64%
Wedge-tailed Eagle	<i>Aquila audax</i>	8	12.12%
Pied Butcherbird	<i>Cracticus nigrogularis</i>	7	10.61%
Rufous Songlark	<i>Cincloramphus mathewsi</i>	7	10.61%
Carnaby's Black-Cockatoo	<i>Calyptorhynchus latirostris</i>	6	9.09%

Musk Duck	<i>Biziura lobata</i>	5	7.58%
Black-tailed Native-hen	<i>Tribonyx ventralis</i>	5	7.58%
Brown Goshawk	<i>Accipiter fasciatus</i>	5	7.58%
Red-capped Parrot	<i>Purpureicephalus spurius</i>	5	7.58%
Stubble Quail	<i>Coturnix pectoralis</i>	4	6.06%
Horsfield's Bronze-Cuckoo	<i>Chalcites basalis</i>	4	6.06%
Little Corella	<i>Cacatua sanguinea</i>	4	6.06%
Brown-headed Honeyeater	<i>Melithreptus brevirostris</i>	4	6.06%
White-winged Triller	<i>Lalage tricolor</i>	4	6.06%
Grey Butcherbird	<i>Cracticus torquatus</i>	4	6.06%
Corella spp		4	6.06%
Australasian Shoveler	<i>Spatula rhynchotis</i>	3	4.55%
Northern Mallard	<i>Anas platyrhynchos</i>	3	4.55%
Common Sandpiper	<i>Actitis hypoleucos</i>	3	4.55%
Shining Bronze-Cuckoo	<i>Chalcites lucidus</i>	2	3.03%
White-necked Heron	<i>Ardea pacifica</i>	2	3.03%
Little Egret	<i>Egretta garzetta</i>	2	3.03%
Whistling Kite	<i>Haliastur sphenurus</i>	2	3.03%
Barn Owl	<i>Tyto alba</i>	2	3.03%
Brown Falcon	<i>Falco berigora</i>	2	3.03%
New Holland Honeyeater	<i>Phylidonyris novaehollandiae</i>	2	3.03%
Inland Thornbill	<i>Acanthiza apicalis</i>	2	3.03%
Chestnut-rumped Thornbill	<i>Acanthiza uropygialis</i>	2	3.03%
Western Thornbill	<i>Acanthiza inornata</i>	2	3.03%
Scarlet Robin	<i>Petroica multicolor</i>	2	3.03%
Black Duck-Mallard hybrid		2	3.03%
Domestic Goose		2	3.03%
Blue-billed Duck	<i>Oxyura australis</i>	1	1.52%
Pink-eared Duck	<i>Malacorhynchus membranaceus</i>	1	1.52%
Mute Swan	<i>Cygnus olor</i>	1	1.52%
Chestnut Teal	<i>Anas castanea</i>	1	1.52%
Rock Dove	<i>Columba livia</i>	1	1.52%
Purple Swamphen	<i>Porphyria porphyria</i>	1	1.52%
Red-kneed Dotterel	<i>Erythrogonys cinctus</i>	1	1.52%
Straw-necked Ibis	<i>Threskiornis spinicollis</i>	1	1.52%
Pied Cormorant	<i>Phalacrocorax varius</i>	1	1.52%
Australasian Darter	<i>Anhinga novaehollandiae</i>	1	1.52%
Australian Hobby	<i>Falco longipennis</i>	1	1.52%
Long-billed Corella	<i>Cacatua tenuirostris</i>	1	1.52%
Western Rosella	<i>Platycercus icterotis</i>	1	1.52%
Elegant Parrot	<i>Neophema elegans</i>	1	1.52%
Spiny-cheeked Honeyeater	<i>Acanthagenys rufogularis</i>	1	1.52%
White-browed Babbler	<i>Pomatostomus superciliosus</i>	1	1.52%
Dusky Woodswallow	<i>Artamus cyanopterus</i>	1	1.52%
Black-faced Woodswallow	<i>Artamus cinereus</i>	1	1.52%

103 SPECIES RECORDED IN TOTAL